


**1381** Alicata boca semiredonda recta Elta

Referencia	L mm	A mm	B mm	C mm	L1 mm	Gr	Icon	€/u
<b>632210200</b>	200	16,6	3,5	3	59,5	190	5	

ISO 5745, DIN 5745

**1382** Alicata boca semiredonda recta

Referencia	L mm	A mm	B mm	C mm	L1 mm	Gr	Icon	€/u
<b>632201160</b>	160	15	3	2,5	52	140	5	
<b>632202200</b>	200	16,6	3,5	3	59,5	190	5	

ISO 5745, DIN 5745

**1383** Alicata boca semiredonda curva

Referencia	L mm	A mm	B mm	C mm	L1 mm	Gr	Icon	€/u
<b>632250180</b>	180	17	4	15	54	190	5	

ISO 5745, DIN 5745

**1384** Alicata boca semiredonda recta Ergo

Referencia	L mm	A mm	B mm	C mm	L1 mm	Gr	Icon	€/u
<b>632205180</b>	180	17	3,5	3	55	170	5	
<b>632205200</b>	200	17	3,5	3	55	185	5	

ISO 5745, DIN 5745

**1385** Alicata boca semiredonda curva Ergo

Referencia	L mm	A mm	B mm	C mm	L1 mm	Gr	Icon	€/u
<b>632255180</b>	180	17	3	21	62	170	5	
<b>632255200</b>	200	17	4	21	65	185	5	

ISO 5745, DIN 5745

**1377** Alicata universal Elta

Referencia	L mm	A mm	B mm	C mm	L1 mm	Gr	Icon	€/u
<b>630210160</b>	160	25	5	9	35	205	5	
<b>630210180</b>	180	26,5	6	10,5	40	295	5	
<b>630210200</b>	200	30	7	10,5	41,5	200	5	

ISO 5746, DIN 5746

**1378** Alicata universal

Referencia	L mm	A mm	B mm	C mm	L1 mm	Gr	Icon	€/u
<b>630200160</b>	160	25	5	9	35	205	5	
<b>630200180</b>	180	26,5	6	10,5	40	295	5	
<b>630200200</b>	200	30	7	10,5	41,5	200	5	

ISO 5746, DIN 5746

**1379** Alicata universal Ergo

Referencia	L mm	A mm	B mm	C mm	L1 mm	Gr	Icon	€/u
<b>630205180</b>	180	27	7	12	39	270	5	

ISO 5746, DIN 5746

**1380** Alicata de corte diagonal Elta

Referencia	L mm	A mm	B mm	Gr	Icon	€/u
<b>637010160</b>	160	22	12	230	5	

ISO 5745, DIN 5745




1

Herr.  
M  
A  
N  
U  
A  
L

## 1386 Alicates de corte diagonal

Referencia	L mm	A mm	B mm	Gr	Gr	€/u
637000140	140	20	11	200	5	
637000160	160	22	12	230	5	
637002180	180	23	12	230	5	


ISO 5745, DIN 5745



## 1387 Alicates de corte diagonal Ergo

Referencia	L mm	A mm	B mm	Gr	Gr	€/u
637005160	160	22	12	220	5	
637005180	180	24	14	215	5	


ISO 5745, DIN 5745



## 1388 Alicates de corte frontal

Referencia	L mm	A mm	B mm	C mm	D mm	Gr	Gr	€/u
637100180	180	37	18	29	12	190	5	


ISO 5746, DIN 5746



## 1389 Alicates puntas anillos ext. recto

Referencia	L mm	A mm	Gr	Gr	€/u
633010140	140	10 a 25	90	5	
633010180	180	19 a 60	205	5	
633010220	220	40 a 100	235	5	
633010295	295	85 a 165	440	5	


DIN 5254



## 1390 Alicates puntas anillos ext. curvo

Referencia	L mm	A mm	D mm	Gr	Gr	€/u
633110125	125	10 a 25	200	95	5	
633110170	170	19 a 60	200	170	5	
633110200	210	40 a 100	200	230	5	
633110275	275	85 a 165	200	465	5	


DIN 5254



## 1391 Alicates puntas anillos int. recto

Referencia	L mm	A mm	Gr	Gr	€/u
633210140	140	8 a 25	90	5	
633210180	180	19 a 60	180	5	
633210230	230	40 a 100	245	5	
633210310	310	85 a 165	425	5	


DIN 5254



## 1392 Alicates puntas anillos int. curvo

Referencia	L mm	A mm	D mm	Gr	Gr	€/u
633310130	130	8 a 25	200	95	5	
633310170	170	19 a 60	200	170	5	
633310210	210	40 a 100	200	250	5	
633310290	290	85 a 165	200	440	5	


DIN 5254



## 1393 Alicates punta semiredonda (punta 45°)


Referencia	L mm	A mm	B mm	C mm	D mm	Gr	Gr	€/u
7603820	275	18	80	10	2,5	300	6	

ISO 5746, DIN 5746




## 1394 Alicates pelacables

Referencia	A mm	B mm	C mm	L mm	F mm	Gr	Gr	€/u
637502160	20	40	10	165	0,5 a 4	200	5	



## 1395 Alicates para extraer conectores

Referencia	A mm	B mm	C mm	L mm	Gr	Gr	€/u
636500135	25	40	10	135	235	5	



**1396** Mini alicate boca universal

Referencia	L mm	L3 mm	W3 mm	W4 mm	T1 mm	Gr	Icono	€/u
635300115	110	17,5	15	5	8,5	80	6	

**1401** Mini alicate boca semiredonda curva

Ref.	L mm	L3 mm	W3 mm	W4 mm	T1 mm	T2 mm	Gr	Icono	€/u
635270120	120	25	12	2,4	8	1,6	70	6	

**1397** Mini alicate boca plana

Referencia	L mm	L3 mm	W3 mm	W4 mm	T1 mm	Gr	Icono	€/u
635230135	135	38,5	12,5	3	8	70	6	

**1402** Mini alicate boca semiredonda curva larga

Ref.	L mm	L3 mm	W3 mm	W4 mm	T1 mm	T2 mm	Gr	Icono	€/u
635290145	145	45	11,5	2,4	5	1,6	60	6	

**1398** Mini alicate boca redonda

Referencia	L mm	L3 mm	W3 mm	T1 mm	Gr	Icono	€/u
635220115	115	25	11,5	8	70	6	

**1403** Mini alicate de corte frontal

Referencia	L mm	L3 mm	W3 mm	T1 mm	Gr	Icono	€/u
635120105	105	14,5	15,5	13,5	70	6	

**1399** Mini alicate boca semiredonda

Ref.	L mm	L3 mm	W3 mm	W4 mm	T1 mm	T2 mm	Gr	Icono	€/u
635260130	130	32	12	3	8	2	70	6	

**1404** Mini alicate boca corte redonda

Referencia	L mm	L3 mm	W3 mm	T1 mm	ØD mm	Gr	Icono	€/u
635250130	130	35	14	8	1	75	6	

**1400** Mini alicate boca semiredonda larga

Ref.	L mm	L3 mm	W3 mm	W4 mm	T1 mm	T2 mm	Gr	Icono	€/u
635280145	145	47	12,5	1,6	8	1,6	60	6	

**1405** Mini alicate de corte diagonal

Referencia	L mm	L3 mm	W3 mm	T1 mm	Gr	Icono	€/u
635100115	115	14	11	7	70	6	



1

Herr.  
M  
A  
N  
U  
A  
L

## 1406 Sacabocados de revolver

Referencia	A mm	Ø mm	L mm	Gr	Icono	€/u
638520225	225	2-2, 5-3-3, 5-4-4, 5	90	260	6	



## 1407 Llave stillson

Referencia	L mm	A mm	Ø	kg	Icono	€/u
621000008	210	27	8"	0,28	4	
621000010	265	34	10"	0,55	4	
621000012	300	42	12"	0,73	4	
621000014	373	50	14"	1,03	4	
621000018	477	60	18"	1,78	4	
621000024	600	76	24"	2,78	4	



## 1408 Recambio boca móvil de llave stillson

Referencia	Ø	Gr	Icono	€/u
621000108*	8"	90	*	
621000110*	10"	195	*	
621000112*	12"	290	*	
621000114*	14"	405	*	
621000118*	18"	575	*	
621000124*	24"	985	*	




## 1409 Recambio conexión de llave stillson

Referencia	Ø	Gr	Icono	€/u
621000208*	8"	50	*	
621000210*	10"	90	*	
621000212*	12"	190	*	
621000214*	14"	190	*	
621000218*	18"	330	*	
621000224*	24"	445	*	



## 1410 Recambio tuerca de llave stillson

Referencia	Ø	Gr	Icono	€/u
621000308*	8"	10	*	
621000310*	10"	30	*	
621000312*	12"	25	*	
621000314*	14"	45	*	
621000318*	18"	75	*	
621000324*	24"	105	*	




## 1411 Llave stillson robusta

Referencia	L mm	A mm	Ø	kg	Icono	€/u
621100008	200	34	8"	0,43	4	
621100010	250	42	10"	0,79	4	
621100012	300	50	12"	1,25	4	
621100014	350	60	14"	1,66	4	
621100018	450	75	18"	2,69	4	
621100024	600	90	24"	4,31	4	
621100036	900	140	36"	7,61	4	
621100048	1200	165	48"	15,6	4	



## 1412 Recambio boca móvil de llave stillson robusta

Referencia	Ø	Gr	Icono	€/u
621100108*	8"	105	*	
621100110*	10"	205	*	
621100112*	12"	340	*	
621100114*	14"	400	*	
621100118*	18"	670	*	
621100124*	24"	980	*	
621100136*	36"	1900	*	
621100148*	48"	3410	*	



## 1413 Recambio tuerca de llave stillson robusta

Referencia	Ø	Gr	Icono	€/u
621100308*	8"	10	*	
621100310*	10"	25	*	
621100312*	12"	35	*	
621100314*	14"	40	*	
621100318*	18"	65	*	
621100324*	24"	110	*	
621100336*	36"	230	*	
621100348*	48"	305	*	



## 1414 Llave para tubo 45°

Referencia	L mm	A mm	Ø	Gr	Icono	€/u
622000005	250	22	10"	285	4	
622000010	335	35	13"	760	4	
622000015	470	46	19"	1345	4	
622000020	630	65	25"	2425	4	




## 1415 Llave para tubo modelo sueco 85°

Referencia	L mm	A mm	Ø	Gr	Icono	€/u
622010010	325	40	13"	0,87	4	
622010015	430	60	17"	1,57	4	
622010020	585	70	23"	2,68	4	
622010030	690	100	27"	4,35	4	
622010040	760	130	30"	5,79	4	



### 1416 Rec. fuerza de llave para tubo 45° y modelo sueco 85°

Referencia	⊘	Gr		€/u
622010110*	1"	25	*	
622010115*	1 1/2"	35	*	
622010120*	2"	55	*	
622010130*	3"	80	*	
622010140*	4"	80	*	




### 1417 Llave para tubo

Referencia	L mm	A mm	⊘	kg		€/u
622020010	320	40	13"	0,85	4	
622020015	410	60	16"	1,45	4	
622020020	535	70	21"	2,46	4	



### 1418 Llave de cadena para tubos

Referencia	L mm	A mm	⊘	kg		€/u
623000015	350	50	14"	1,36	2	
623000025	685	75	27"	3,54	2	
623000040	940	115	37"	6,70	2	
623000060	1,125	165	44"	12,6	2	
623000080	1,280	220	50"	17,2	2	
623000120	1,625	325	64"	24,4	2	




### 1419 Recambio cadena de llave de cadena para tubos

Referencia	⊘	kg		€/u
623001015*	1 1/2"	0,24	*	
623001025*	2 1/2"	0,41	*	
623001040*	4"	0,60	*	
623001060*	6"	2,64	*	
623001080*	8"	3,34	*	
623001120*	12"	4,62	*	



### 1420 Tenaza rusa


Referencia	L mm	A mm	B mm	C mm	Gr		€/u
638300225	225	29	16	21,5	330	5	
638300250	250	31	17	22	415	5	
638300280	280	33	18	23	445	5	



Mangos con funda de PVC

### 1421 Tenaza con apertura

Referencia	L mm	A mm	B mm	C mm	Gr		€/u
624000240	240	31,5	34	9	185	5	



### 1422 Mordazas grip

Referencia	L mm	Apertura mm	Gr		€/u
625000250	Curva 250	30	540	6	
625050250	Plana 250	30	565	6	
625100250	Convexa 250	30	555	6	



### 1423 Mordazas grip cuello de cisne

Referencia	L mm	Apertura mm	Gr		€/u
625110280	280	70	705	6	



### 1424 Mordazas grip horquillas

Referencia	L mm	Apertura mm	Gr		€/u
625150270	270	50	780	6	



### 1425 Mordazas grip de chapa

Referencia	L mm	Apertura mm	Gr		€/u
625120200	200	30	485	6	

