


1254 Vaso de impacto corto 3/8"

ISO 2725, DIN 3124

Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	ØD mm	L mm	Gr	u	€/u
7210108	8	13,8	19	28	40	10	
7210109	9	15	19	28	35	10	
7210110	10	16,3	19	28	40	10	
7210111	11	17,5	19	30	35	10	
7210112	12	19	19	30	35	10	
7210113	13	20	22	30	60	10	
7210114	14	21,3	22	30	50	10	
7210115	15	22,5	22	30	50	10	
7210117	17	25	22	30	60	10	
7210119	19	27,5	22	30	80	10	



1255 Juego vasos de impacto 3/8" EG-900



Referencia	Unidades	Med. mm.	Gr	u	€/u
7170900	8 pcs	10-11-12-13-14-15-17-19	470	6	


Acero cromo vanadio

1256 Vaso de impacto largo 3/8"

ISO 2725, DIN 3124

Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	ØD mm	L mm	Gr	u	€/u
7210210	10	15,9	19	63	105	10	
7210213	13	19,6	22	63	112	10	
7210217	17	24,6	22	63	152	10	




1257 Vaso de impacto torx 3/8"

ISO 2725, DIN 3124

Ref.	A mm	ØB mm	ØD mm	L mm	Gr	u	€/u
72101E05	E-5	8	19	30	30	10	
72101E06	E-6	9	20	30	30	10	
72101E07	E-7	10	21	30	30	10	
72101E08	E-8	11,5	22	30	30	10	
72101E10	E-10	14	23	30	35	10	
72101E12	E-12	15,9	24	30	35	10	
72101E14	E-14	17,7	25	30	35	10	

Acero cromo Molibdeno | Revestimiento fosfatado




1258 Alargadera de impacto 3/8"

ISO 1174, DIN 3121

Acero cromo vanadio

Referencia	ØA mm	ØE mm	L mm	Gr	u	€/u
72101175	3/8"	12,6	75	90	10	
72101150	3/8"	10	150	170	10	



1259 Adaptadores de impacto

ISO 1174, DIN 3121

Referencia	ØA mm	ØE mm	L mm	Gr	u	€/u
72101135	3/8" Artic. universal		71	110	10	
72101932	3/8" H	1/4" M	28	50	10	
72101934	3/8" H	1/2" M	36	60	10	


Acero cromo vanadio



Ref.: 72101135

Ref.: 72101932

Ref.: 72101934



1260 Juego de vasos de impacto Torx 3/8" y 1/2"

Referencia	Unidades	kg	u	€/u
7550510	21	1,10	6	

Descripción	Unidades	Medidas
Vaso 3/8" Corto	2	E6, E8 L28mm
Vaso 1/2" Corto	3	E10, E12, E14 L38mm
Vaso 3/8" Largo	2	E6, E8 L62mm
Vaso 1/2" Largo	3	E10, E12, E14 L77mm
Reductor 1/2" a 3/8"	1	L36mm
Alargador 1/2" 15°	1	L47mm




1261 Vaso de impacto corto 1/2"

ISO 2725, DIN 3129

Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	C mm	ØD mm	L mm	Gr	kg	€/u
7210308	8	15,5	14	25	38	70	10	
7210310	10	17,5	14	25	38	80	10	
7210311	11	18,5	14	25	38	85	10	
7210312	12	20	13	25	38	85	10	
7210313	13	21,2	14,5	25	38	80	10	
7210314	14	22,5	14	25	38	80	10	
7210315	15	23,7	15,5	30	38	125	10	
7210316	16	25	13	30	38	125	10	
7210317	17	26,2	13	30	38	120	10	
7210318	18	27,5	13	30	38	125	10	
7210319	19	28,7	13	30	38	125	10	
7210320	20	30,5	15	30	38	125	10	
7210321	21	31,2	18	30	39	140	10	
7210322	22	32,5	16,5	30	39	140	10	
7210323	23	33,7	15	30	41	140	10	
7210324	24	35	13,5	30	41	170	10	
7210325	25	36	15,5	30	43	175	10	
7210326	26	37,5	16,75	30	44	180	10	
7210327	27	38,7	20	30	44	195	10	
7210328	28	40	20	30	49	215	10	
7210330	30	42,5	20	30	50	225	10	
7210332	32	45	22	30	50	225	10	



1262 Juego de vasos de impacto 1/2" cortos en regleta




Referencia	Unidades	Med. mm.	kg	kg	€/u
7210350	9	10-12-14-17-19-21-22-24-27	1,80	6	

1263 Vaso de impacto largo 1/2"

ISO 2725, DIN 3129

Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	C mm	ØD mm	L mm	Gr	kg	€/u
7210410	10	17	19	25	80	140	10	
7210411	11	18,5	19	25	80	150	10	
7210412	12	20	16	25	80	160	10	
7210413	13	21	16,5	25	80	160	10	
7210414	14	22,5	19	30	80	170	10	
7210415	15	23,5	23	30	80	230	10	
7210416	16	25	23	30	80	230	10	
7210417	17	26,2	19	30	80	260	10	
7210418	18	27,5	17	30	80	270	10	
7210419	19	28,5	21	30	80	260	10	
7210420	20	30	24,5	30	80	260	10	
7210421	21	31	28	30	80	270	10	
7210422	22	32,5	28	30	80	320	10	
7210424	24	35	29	30	80	320	10	
7210427	27	39	29	30	80	380	10	
7210430	30	42,5	60	30	80	450	10	



1264 Juego de vasos de impacto 1/2" largos en regleta



Referencia	Unidades	Med. mm.	kg	kg	€/u
7210450	7	10-13-17-19-22-24-27	1,74	6	

1265 Juego de vasos de impacto 1/2"

Referencia	Modelo	Unidades	Med. mm.	kg	kg	€/u
7170901V	EG-901V	10	10-11-13-15-17-19-21-22-24-27	1,35	6	
CROMO VANADIO (económico)						
7170901	EG-901 CR.M	10	10-11-13-15-17-19-21-22-24-27	1,35	6	



1266 Juego de reductores y ampliadores



Referencia	Unidades	 Med. mm.			€/u
7170908	8	1/4" F - 3/8" M 1/2" F - 3/8" M 3/4" F - 1/2" M 1" F - 3/4" M	870	6	
		3/8" F - 1/4" M 3/8" F - 1/2" M 1/2" F - 3/4" M 3/4" F - 1" M			

1267 Vaso de impacto torx 1/2"

ISO 2725, DIN 3129

Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	C mm	ØD mm	L mm	Gr	Gr	€/u
72103E10	E-10	14	8,9	25	38	80	10	
72103E12	E-12	15,9	8,9	25	38	80	10	
72103E14	E-14	17,7	11,4	25	38	70	10	
72103E16	E-16	20	11,4	25	38	65	10	
72103E18	E-18	22	12,5	25	38	65	10	
72103E20	E-20	24,5	14	30	40	80	10	
72103E24	E-24	30	16,5	30	40	135	10	



1268 Juego de vasos de impacto 1/2" largos en regleta



Referencia	Unidades	Med. mm.	Gr	Gr	€/u
72103E70	7	E-10,E-12,E-14,E-16,E-18,E-20,E-24	720	6	

1269 Vaso de impacto 1/2" torx macho

ISO 2725, DIN 3124


Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	C mm	ØD mm	L mm	Gr	Gr	€/u
7550030	T-30	25	6,5	22,5	78	62	10	
7550040	T-40	25	7,5	22,5	78	62	10	
7550045	T-45	25	8,5	22,5	78	64	10	
7550050	T-50	25	9,5	22,5	78	64	10	
7550055	T-55	25	12	22,5	78	70	10	
7550060	T-60	25	14	22,5	78	74	10	
7550070	T-70	25	16	22,5	78	86	10	
7550080	T-80	25	18	22,5	78	88	10	



1270 Vaso de impacto 1/2" hexagonal macho

Acero cromo Molibdeno | Revestimiento fosfatado



Ref.	A mm	B mm	D mm	E mm	L1 mm	L mm	Gr	Gr	€/u
7550105	H-5	12	25	7	22,5	78	75	10	
7550106	H-6	13	25	8	22,5	78	80	10	
7550107	H-7	14	25	10,5	22,5	78	85	10	
7550108	H-8	14	25	10,5	22,5	78	85	10	
7550110	H-10	15	25	12,5	22,5	78	110	10	
7550112	H-12	15,5	25	15	22,5	78	125	10	
7550114	H-14	16	25	17,5	22,5	78	160	10	
7550117	H-17	17	25	21	22,5	78	190	10	
7550119	H-19	18	25	23	22,5	78	215	10	

1271 Juego de vasos de impacto 1/2" punta torx y hex.

Ref.	Unids.	Med. mm.	kg	Gr	€/u
7550501	8	T-30,T-40,T-45,T-50,T-55,T-60,T-70,T-80	1,20	6	
7550601	8	5-6-8-10-12-14-17-19	1,40	6	

- Punta torx Ref.: 7550501
- Punta hex. Ref.: 7550601



1272 Alargadera de impacto 1/2"

Referencia	ØA mm	ØE mm	L mm	Gr	Gr	€/u
72103075	30	17	75	170	10	
72103125	30	17	125	230	10	
72103250	30	17	250	420	10	

ISO 1174, DIN 3121



1273 Alargadera de impacto cojinete 1/2" y 3/4"

Referencia	L mm	kg	Gr	€/u
2305058	1/2"	200	0,54	4
2305057	3/4"	200	1,42	4



1274 Articulación 1/2"

Referencia	A mm	L mm	Gr	Gr	€/u
7210335	1/2"	75	150	10	

ISO 1174, DIN 3121



1275 Adaptadores de impacto

ISO 1174, DIN 3121

Referencia	A mm	B mm	ØD mm	L mm	Gr	Gr	€/u
7210343	1/2" H	3/8" M	25	38	66	10	
7210346	1/2" H	3/4" M	25	48	140	10	

Ref.: 7210343



Ref.: 7210346

1276 Anillas y pasador de seguridad

ISO 3315, DIN 3122

Referencia	ØA mm	D1 mm	L mm	Gr	Gr	€/u
72103121*	1/2"	4	24	8	*	
72103122*	1/2"	3	25	8	*	



Ref.: 72103121


Ref.: 72103122

1277
Vaso de impacto corto 3/4"

ISO 2725, DIN 3129

Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	C mm	ØD mm	L mm	Gr	u	€/u
7210519	19	31,7	12	40	54	310	10	
7210521	21	36	12	40	54	320	10	
7210522	22	37	12	41,5	54	350	10	
7210523	23	39	12	41,5	54	360	10	
7210524	24	39,5	12	41,5	54	360	10	
7210526	26	41,5	12	41,5	54	350	10	
7210527	27	41,5	15	41,5	54	330	10	
7210528	28	44,5	15	44,5	54	360	10	
7210529	29	44,5	15	44,5	54	390	10	
7210530	30	47,2	16	44,5	54	440	10	
7210532	32	49	17	49	54	490	10	
7210533	33	52	17	49	54	550	10	
7210535	35	54	18	49	57	590	10	
7210536	36	54,7	18	49	57	600	10	
7210538	38	58	20	49	58	700	10	
7210541	41	61	20	49	58	740	10	
7210546	46	67	22	51	61	940	10	



1278
Vaso de impacto largo 3/4"

ISO 2725, DIN 3129

Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	C mm	ØD mm	L mm	Gr	u	€/u
7210619	19	31,7	23,5	40	80	470	10	
7210621	21	36	23,5	40	80	510	10	
7210622	22	37	47	41,5	80	530	10	
7210623	23	39	47	41,5	80	550	10	
7210624	24	39,5	47	41,5	80	540	10	
7210626	26	41,5	47	41,5	89	570	10	
7210627	27	41,5	47	41,5	89	560	10	
7210629	29	44,5	52	44,5	89	650	10	
7210630	30	47,2	52	47,2	89	750	10	
7210632	32	49	52	49	89	800	10	
7210635	35	54	53	54	89	940	10	
7210636	36	54,7	53	54,7	89	940	10	
7210638	38	58	53	58	89	1040	10	
7210641	41	61	53	61	89	1070	10	



1279
Juego de vasos de impacto 3/4" EG-902

Referencia	Modelo	Unidades	Med. mm.	Gr	u	€/u
7170902	EG-902	8	21-24-27-30-32-33-36-38	3600	6	



1280
Alargadera de impacto 3/4"

Referencia	ØA mm	ØE mm	L mm	Gr	u	€/u
72105100	43	25	100	460	10	
72105175	43	25	175	850	10	
72105250	43	25	250	1070	10	
72105330	43	25	330	1320	10	

ISO 1174, DIN 3121



1281
Articulación 3/4"

Referencia	ØA mm	ØE mm	L mm	Gr	u	€/u
7210565	44	38	110	750	10	

ISO 1174, DIN 3121



1282
Adaptadores de impacto

ISO 1174, DIN 3121

Referencia	A mm	B mm	ØD mm	L mm	Gr	u	€/u
7210569	3/4" H	1/2" M	54	58	320	10	
7210568	3/4" H	1" M	54	63	400	10	



1283
Anillas y pasador de seguridad

ISO 3315, DIN 3122

Referencia	ØA mm	D1 mm	L mm	Gr	u	€/u
Anillas						
72105342*	3/4"	5	36	10	*	
72105343*	3/4"	5	43	10	*	
Pasadores						
72105344*	3/4"	4	35	10	*	
72105345*	3/4"	4	42	10	*	



Ref.: 72105342


Ref.: 72105344

1284 Vaso de impacto corto 1"

ISO 2725, DIN 3129

Acero cromo Molibdeno | Revestimiento fosfatado

Ref.	A mm	ØB mm	C mm	ØD mm	L mm	Gr	€ / u
7210722	22	39,5	18	51	58	510	10
7210724	24	42	19	51	58	510	10
7210727	27	46	22	51	60	560	10
7210730	30	50	24	53	62	660	10
7210732	32	52	22	53	63	690	10
7210733	33	53	22	53	64	710	10
7210736	36	57	26	54	64	740	10
7210738	38	59	33	54	66	800	10
7210741	41	63	26	54	68	880	10
7210746	46	70	30	62	72	1250	10
7210750	50	75	30	62	76	1420	10
7210754	54	78	32	64	80	1540	10
7210755	55	81,5	37	64	84	1730	10
7210758	58	86	37	64	84	1810	10
7210760	60	87	39	64	88	1990	10
7210765	65	94	45	66	90	2250	10
7210770	70	100	47	66	94	2600	10
7210775	75	104	50	68	97	2950	10
7210780	80	118	53	70	100	3240	10



1285 Vaso de impacto largo 1"

ISO 2725, DIN 3129

Acero cromo Molibdeno | Revestimiento fosfatado



Ref.	A mm	ØB mm	C mm	ØD mm	L mm	Gr	€ / u
7210821	21	37	27	54	100	1000	10
7210822	22	39,5	40	54	108	1000	10
7210824	24	42	35	54	108	1000	10
7210827	27	46	35	54	108	1050	10
7210830	30	50	35	54	108	1180	10
7210832	32	52	35	54	108	1200	10
7210833	33	52,5	40	54	108	1250	10
7210836	36	57	43	54	108	1300	10
7210838	38	59	38	54	108	1400	10
7210841	41	63	40	54	108	1470	10
7210846	46	70	45	62	108	1850	10
7210850	50	75	45	62	108	2200	10
7210855	55	81,5	42	64	108	2400	10
7210860	60	87	42	64	108	2800	10

1286 Juego de vasos de impacto 1" EG-903

Referencia	Modelo	Unidades	Med. mm.	kg	€ / u
7170903	EG-903	7	24-27-30-32-33-36-38	5,20	4



1287 Alargadera de impacto 1"

Referencia	ØA mm	ØE mm	L mm	Gr	€ / u
72107100	54	33,5	100	810	10
72107175	54	33,5	175	1440	10
72107250	54	33,5	250	1750	10
72107330	54	33,5	330	2350	10

ISO 1174, DIN 3121



1288 Articulación 1"

Referencia	ØA mm	ØE mm	L mm	kg	€ / u
7210735	54	135	130	1,38	10

ISO 1174, DIN 3121



1289 Adaptadores de impacto

ISO 1174, DIN 3121

Referencia	A mm	B mm	ØD mm	L mm	Gr	€ / u
7210786	1" H	3/4" M	53	75	650	10
7210790	1" H	1-1/2" M	53	90	950	10



1290 Anillas y pasador de seguridad

ISO 3315, DIN 3122

Referencia	ØA mm	D1 mm	L mm	Gr	€ / u
Anillas					
72107804*	1"	7	45	12	*
72107805*	1"	7	55	12	*
72107806*	1"	7	60	12	*
Pasadores					
72107807*	1"	5	45	14	*
72107808*	1"	5	55	14	*
72107809*	1"	5	60	14	*

